

SDS according to Regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), Annex II-EU

SECTION 1: Identification of the substance/mixture and of the

company/undertaking

Date issued 31.07.2014

1.1. Product identifier

Product name

UVElite

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation Waterborne wood floor finish.

1.3. Details of the supplier of the safety data sheet

Company name	Arboritec AB
Postal address	Olof Wijksväg 9
Postcode	SE-444 65
City	Jörlanda
Country	Sverige
Tel	0303-563 30
Fax	0303-563 32
E-mail	post@arboritec.com
Website	http://www.arboritec.com
Contact person	Jörgen Kaldemark

1.4. Emergency telephone number

In case of medical emergency call:112

SECTION 2: Hazards identification

2.1. Classification of substance or mixture

2.2. Label elements

Emergency telephone

 Composition on the label
 Benzophenone:< 1 %</th>

 Supplemental label information
 EUH208: Contains 1,2-benzisothiazol-3(2H)-one [EC no. 220-120-9]. May produce an allergic reaction. Safety data sheet available on request.

2.3. Other hazards

Other hazards

When spray applying see section 8.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	ld
Benzophenone	C

Identification CAS no.: 119-61-9 EC no.: 204-337-6 Classification STOT RE2; H373 Aquatic Chronic 2; H411 Contents < 1 %

SECTION 4: First aid measures

4.1. Description of first aid measures

General

Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.

UVElite	Page 2 of 7
Inhalation	Use with adequate ventilation.
Skin contact	Remove/Take off immediately all contaminated clothing. IF ON SKIN: Wash with plenty of soap and water. Do NOT use solvents or thinners.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell.
Ingestion	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures	
5.1. Extinguishing media	

Suitable extinguishing media	Recommended extinguishing media : alcohol resistant foam, CO2, powders,
0 0	
	water spray. Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards

Fire will produce dense black smoke. Decomposition products can be hazardous. At high temperatures create: Carbon monoxide (CO), carbon dioxide (CO2), smoke, nitrogen gases (NOx).

5.3. Advice for firefighters

Personal protective equipment	Wear respiratory protection.
Other Information	Eliminate all ignition sources if safe to do so. Do not allow run-off from fire
	fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	See section 7 and 8.
	In case of inadequate ventilation wear respiratory protection. Wear fire / flame resistant / retardant clothing. Use personal protective equipment as required. Wear cold insulating gloves / face shield / eye protection. Wear protective gloves / protective clothing / eye protection / face protection. Avoid breathing dust / fume / gas / mist / vapours / spray. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
6.2. Environmental precauti	ions

Environmental precautionary Collect spillage. Avoid release to the environment. If the product contaminates measures lakes, rivers or sewers, inform appropriate authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Cleaning method Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent; avoid use of solvents.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling

Avoid spilling, skin- and eye contact. Avoid breathing dust / fume / gas / mist / vapours / spray. Avoid breathing dust.

Protective Safety Measures

Protective Safety Measures

Smoking, eating and drinking is forbidden in application area. Remove

UVElite

	9
	contaminated clothing and protective gear before you get to an area where meals are taken.
Additional information	For personal protection see Section 8. Never use pressure to empty : container is not a pressure vessel.
7.2. Conditions for safe sto	orage, including any incompatibilities
Storage	Keep only in original container. Store in a well-ventilated place. Keep container tightly closed. Keep cool. Protect from sunlight. Store in a dry place. Tillse att gällande arbetsmiljölagstiftning följs.
Conditions To Avoid	Keep away from heat / sparks / open flames / hot surfaces. — No smoking. Protect from sunlight. Keep away from oxidizing agents, from strongly alkaline and strongly acid materials. Prevent unauthorized access.
Conditions for safe storage	9
Storage Temperature	Value: 5-25 Celsius
7.3. Specific end use(s)	
Recommendations	Do not handle until all safety precautions have been read and understood.
Specific end users	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure limit values

Substance	Identification	Value	TWA Year
Benzophenone	CAS no.: 119-61-9		
	EC no.: 204-337-6		

8.2. Exposure controls

Precautionary measures to prevent exposure

Appropriate engineering controls	Use with adequate ventilation. If possible this should be achieved by local extraction and good exhaust ventilation. If these are not sufficient to maintain concentrations of particulates and solvent vapors below the OEL, suitable respiratory equipment.
Respiratory protection	
Respiratory protection	Respiratory protection with gas filter (brown A) must be used if air concentration exceeds acceptable level (OEL).
Mask type	When spraying, use half-or full face mask with filter P2 (IIb) to spray.
Hand protection	
Hand protection	Wear cold insulating gloves / face shield / eye protection.
Skin-/ hand protection, long term contact	For prolonged or repeated contact use gloves made of butyl rubber.
Suitable materials	Barrier creams may help to protect the skin, but they should however not be used once exposure has occurred.
Eye / face protection	
Suitable Eye Protection	Wear cold insulating gloves / face shield / eye protection.
Skin protection	
Skin protection (except hands)	Wear fire / flame resistant / retardant clothing.
Exposure controls	
Safety measures for consumer use of the chemical	Read label before use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Odour	Faint.

UVElite

Comments, Odour limit	Not applicable.
Comments, pH (as supplied)	Not determined.
Comments, pH (aqueous solution)	Not determined .
Comments, Melting point / melting	Not determined.
range	
Comments, Boiling point / boiling	Not determined.
range	
Comments, Flash point	Not applicable.
Comments, Evaporation rate	Not determined.
Flammability (solid, gas)	Not determined
Comments, Explosion limit	Not applicable.
Comments, Vapour pressure	Not determined.
Comments, Vapour density	Not determined.
Specific gravity	Value: 1,05 g/ml
	Method of testing: CC-Stängd kopp
	Test temperature: 23 °C
Solubility in water	unlimited.
Comments, Partition coefficient: n-	Not applicable.
octanol / water	
Comments, Decomposition	Not determined
temperature	
Comments, Viscosity	Not determined.
	Does not affect the assessment.
Explosive properties	Not explosive.
Oxidising properties	Not Oxidising.
9.2. Other information	
Content Of Voc	Value: 5 g/l
	Comments: initial boiling point less than or equal to 250°C

10.1. Reactivity	
Reactivity	No reactive.
10.2. Chemical stability	
Stability	Stable under recommended storage and handling conditions (see section 7).
10.3. Possibility of hazard	ous reactions
Possibility of hazardous reactions	No dangerous if handled according to Technical Information.
10.4. Conditions to avoid	
Conditions to avoid	No applicable.
10.5. Incompatible materia	als
Materials to avoid	Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reaction.
10.6. Hazardous decompo	sition products
Hazardous decomposition products	When exposed to high temperature may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological data for substances

Substance	Benzophenone
LD50 oral	Value: 2,356 mg/kg
	Animal test species: Rat

	Test reference: OECD Guidline 401 Comments: Tested as a preparation.
LD50 dermal	Value: > 5000 mg/kg Animal test species: Rat Comments: The statements are based on the properties of the individual components.
LC50 inhalation	Value: Not determined. Animal test species: Rat Duration: 4h
Assessment of acute toxicity classification	Irritating respiratory system, according to the conventional method.

Potential acute effects

Inhalation	May cause drowsiness or dizziness. May cause respiratory irritation.
Skin contact	No information is available.
Eye contact	No information available.
Ingestion	Ingestion may cause nausea and vomiting.
Skin corrosion / irritation, other	No information available.
information	
Aspiration hazard, comments	When applying see section 8.
Eye damage or irritation other info	If splashed in the eyes, the liquid may cause irritation and reversible
	damage.

Delayed effects / repeated exposure

General respiratory or skin	Prolonged or repeated contact may defat the skin, resulting in non-allergic
sensitisation	contact eczema and absorption through the skin.
STOT-single exposure	No information available.
STOT-repeated exposure	No information available.

Carcinogenic, Mutagenic or Reprotoxic

Carcinogenicity human experience	No information is available.
Germ Cell Mutagenicity, human	No information available.
experience	
Reproductive toxicity	No information available.

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic, fish, Comments Not expected to be toxic to aquatic life.

Toxicological data for substances

Substance	Benzophenone
Acute aquatic, fish	Value: > 10-100 mg/l
	Method of testing: LC50
	Duration: 96h
	Test reference: The product has not been tested. The statement has been
	derived from the properties of the individual components.
Acute aquatic, algae	Value: > 1-10 mg/l
	Method of testing: EC50
	Duration: 72 h
	Test reference: (Growth rate).
	The product has not been tested. The statement has been derived from the
	properties of the individual components.
Acute aquatic, Daphnia	Value: > 10-100 mg/l
	Method of testing: EC50
	Duration: 48 h
	Test reference: The product has not been tested. The statement has been
	derived from the properties of the individual components.

12.2. Persistence and degradability

UVElite		Page 6 of 7
Persistence and degradability	Not determined.	
description		
12.3. Bioaccumulative pot	ential	
Bioaccumulative potential	Not determined.	
12.4. Mobility in soil		
Mobility	Soluble in water.	
12.5. Results of PBT and	/PvB assessment	
PBT assessment results	Not classified as PBT / vPvB of current EU criteria.	
12.6. Other adverse effect	S	
Other adverse effects / Remarks	None known.	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Specify the appropriate methods of disposal	Avoid release to the environment. Collect spillage. Wastes and empty containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act.
Product classified as hazardous waste	No
EWC waste code	EWC: 08 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS, National waste code: 01, National wastegroup: 12

SECTION 14: Transport information

14.1. UN number

Comments

Not dangerous goods.

Transport in accordance with national law and ADR for road, RID for rail, IMDG for sea and ICAO / IATA for air. For complete information on transport, see transport document.

14.2. UN proper shipping name

ADR	
RID	
IMDG	
ICAO/IATA	

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

IMDG Marine pollutant No

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Legislation and regulations	The labeling of the product according to EC directives 67/548/EEC, 1999/45/EC, see section 2.
	Classification and labeling of substances under Directive 67/548/EC, 1999/45/EC, see section 3.

UVElite

Classification and labeling of substances according to Regulation (EC) 1272/2008 (CLP) is in section 3. Safety data sheet is designed according to EU Commission Regulation No. 1907/2006.

15.2. Chemical safety assessment

Chemical safety assessment No performed

SECTION 16: Other information	
List of relevant H-phrases (Section	H373 May cause damage to organs through prolonged or repeated exposure
2 and 3).	H411 Toxic to aquatic life with long lasting effects.
Version	2
Responsible for safety data sheet	Arboritec AB
Comments	The information of this SDS is based on the present state of our knowledge and on current EU and national laws. The product is not to be used for other purposes than those specified under section 1 without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfill the demand laid down in the local rules and legislation. The information in this SDS is meant as a description of the safety requirements of our product : it is not to be considered as a guarantee of the products' properties.