UVElite Page 1 of 7



SAFETY DATA SHEET UVElite



The safety data sheet is in accordance with Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTION 1: Identification of the substance/mixture and of the

company/undertaking

Date issued 31.07.2014

1.1. Product identifier

Product name UVElite

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation Waterborne wood floor finish.

1.3. Details of the supplier of the safety data sheet

Company name	Arboritec AB
Postal address	Olof Wijksväg 9
Postcode	SE-444 65
City	Jörlanda
Country	Sverige
Tel	0303-563 30
Fax	0303-563 32
E-mail	post@arboritec.com
Website	http://www.arboritec.com
Contact person	Jörgen Kaldemark

1.4. Emergency telephone number

Emergency telephone In case of medical emergency call:112

SECTION 2: Hazards identification

2.1. Classification of substance or mixture

2.2. Label elements

Composition on the label	Benzopnenone:< 1 %
Supplemental label information	EUH208: Contains 1,2-benzisothiazol-3(2H)-one [EC no. 220-120-9]. May
	produce an allergic reaction. Safety data sheet available on request.

2.3. Other hazards

Other hazards When spray applying see section 8.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	Identification	Classification	Contents
Benzophenone	CAS no.: 119-61-9	STOT RE2; H373	< 1 %
	EC no.: 204-337-6	Aguatic Chronic 2: H411	

SECTION 4: First aid measures

4.1. Description of first aid measures

General Get medical advice/attention if you feel unwell. Never give anything by mouth

UVElite Page 2 of 7

to an unconscious person.

Inhalation Use with adequate ventilation.

Skin contact Remove/Take off immediately all contaminated clothing. IF ON SKIN: Wash

with plenty of soap and water. Do NOT use solvents or thinners.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Get medical

advice/attention if you feel unwell.

Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Recommended extinguishing media: alcohol resistant foam, CO2, powders,

water spray. Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards Fire will produce dense black smoke. Decomposition products can be

hazardous. At high temperatures create: Carbon monoxide (CO), carbon

dioxide (CO2), smoke, nitrogen gases (NOx).

5.3. Advice for firefighters

Personal protective equipment Wear respiratory protection.

Other Information Eliminate all ignition sources if safe to do so. Do not allow run-off from fire

fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures See section 7 and 8.

Personal protection measures In case of inadequate ventilation wear respiratory protection. Wear fire / flame

resistant / retardant clothing. Use personal protective equipment as required. Wear cold insulating gloves / face shield / eye protection. Wear protective gloves / protective clothing / eye protection / face protection. Avoid breathing dust / fume / gas / mist / vapours / spray. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Get medical advice/attention if you feel unwell.

6.2. Environmental precautions

Environmental precautionary Collect spillage. Avoid release to the environment. If the product contaminates measures

lakes, rivers or sewers, inform appropriate authorities in accordance with

local regulations.

6.3. Methods and material for containment and cleaning up

Cleaning method Contain and collect spillage with non-combustible absorbent materials, e.g.

sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with

a detergent; avoid use of solvents.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling Avoid spilling, skin- and eye contact. Avoid breathing dust / fume / gas /

mist / vapours / spray. Avoid breathing dust.

Protective Safety Measures

UVElite Page 3 of 7

Protective Safety Measures	Smoking, eating and drinking is forbidden in application area. Remove	
	contaminated clothing and protective gear before you get to an area where	
	meals are taken.	
Additional information	For personal protection see Section 8. Never use pressure to empty :	
	container is not a pressure vessel.	

7.2. Conditions for safe storage, including any incompatibilities

Storage	Keep only in original container. Store in a well-ventilated place. Keep
	container tightly closed. Keep cool. Protect from sunlight. Store in a dry place.
	Tillse att gällande arbetsmiljölagstiftning följs.
Conditions To Avoid	Keep away from heat / sparks / open flames / hot surfaces. — No smoking.
	Protect from sunlight. Keep away from oxidizing agents, from strongly alkaline
	and strongly acid materials. Prevent unauthorized access.

Conditions for safe storage

Storage Temperature Value: 5-25 Celsius

7.3. Specific end use(s)

Recommendations Do not handle until all safety precautions have been read and understood.

Specific end users

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure limit values

Substance	Identification	Value	TWA Year
Benzophenone	CAS no.: 119-61-9		

EC no.: 204-337-6

8.2. Exposure controls

Precautionary measures to prevent exposure

-	
Appropriate engineering controls	Use with adequate ventilation. If possible this should be achieved by local
	extraction and good exhaust ventilation. If these are not sufficient to maintain
	concentrations of particulates and solvent vapors below the OEL, suitable
	respiratory equipment.

Respiratory protection

Respiratory protection	Respiratory protection with gas filter (brown A) must be used if air
	concentration exceeds acceptable level (OEL).
Mask type	When spraying, use half-or full face mask with filter P2 (IIb) to spray.

Hand protection

Hand protection	Wear cold insulating gloves / face shield / eye protection.
Skin-/ hand protection, long term	For prolonged or repeated contact use gloves made of butyl rubber.
contact	
Suitable materials	Barrier creams may help to protect the skin, but they should however not be used once exposure has occurred.

Eye / face protection

Suitable Eye Protection	Wear cold insulating gloves / face shield	/ eye protection.
-------------------------	---	-------------------

Skin protection

Skin protection (except hands) Wear fire / flame resistant / retardant clothing.

Exposure controls

Safety measures for consumer use Read label before use. of the chemical

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.

UVElite Page 4 of 7

Odour	Faint.
Comments, Odour limit	Not applicable.
Comments, pH (as supplied)	Not determined.
Comments, pH (aqueous solution)	Not determined .
Comments, Melting point / melting	Not determined.
range	
Comments, Boiling point / boiling	Not determined.
range	
Comments, Flash point	Not applicable.
Comments, Evaporation rate	Not determined.
Flammability (solid, gas)	Not determined
Comments, Explosion limit	Not applicable.
Comments, Vapour pressure	Not determined.
Comments, Vapour density	Not determined.
Specific gravity	Value: 1,05 g/ml
	Method of testing: CC-Stängd kopp
	Test temperature: 23 °C
Solubility in water	unlimited.
Comments, Partition coefficient: n-	Not applicable.
octanol / water	
Comments, Decomposition	Not determined
temperature	
Comments, Viscosity	Not determined.
	Does not affect the assessment.
Explosive properties	Not explosive.
Oxidising properties	Not Oxidising.
9.2 Other information	

9.2. Other information

Content Of Voc Value: 0 g/l

Comments: initial boiling point less than or equal to 250°C

SECTION 10: Stability and reactivity

10.1. Reactivity

Odour

Reactivity No reactive.

10.2. Chemical stability

Stability Stable under recommended storage and handling conditions (see section 7).

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions
No dangerous if handled according to Technical Information.

10.4. Conditions to avoid

Conditions to avoid No applicable.

10.5. Incompatible materials

Materials to avoid Keep away from oxidizing agents, strongly alkaline and strongly acid materials

in order to avoid exothermic reaction.

10.6. Hazardous decomposition products

Hazardous decomposition products When exposed to high temperature may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological data for substances

Substance	Benzophenone
LD50 oral	Value: 2,356 mg/kg
	Animal test species: Rat

UVElite Page 5 of 7

	Test reference: OECD Guidline 401 Comments: Tested as a preparation.
LD50 dermal	Value: > 5000 mg/kg Animal test species: Rat Comments: The statements are based on the properties of the individual components.
LC50 inhalation	Value: Not determined. Animal test species: Rat Duration: 4h
Assessment of acute toxicity classification	Irritating respiratory system, according to the conventional method.

Potential acute effects

Inhalation	May cause drowsiness or dizziness. May cause respiratory irritation.
Skin contact	No information is available.
Eye contact	No information available.
Ingestion	Ingestion may cause nausea and vomiting.
Skin corrosion / irritation, other	No information available.
information	
Aspiration hazard, comments	When applying see section 8.
Eye damage or irritation other info	If splashed in the eyes, the liquid may cause irritation and reversible
	damage.

Delayed effects / repeated exposure

General respiratory or skin	Prolonged or repeated contact may defat the skin, resulting in non-allergic
sensitisation	contact eczema and absorption through the skin.
STOT-single exposure	No information available.
STOT-repeated exposure	No information available.

Carcinogenic, Mutagenic or Reprotoxic Carcinogenicity human experience No information is available

Carcinogenicity numan expenence	INO ILIIOTTIALIOTTIS available.
Germ Cell Mutagenicity, human	No information available.
experience	
Reproductive toxicity	No information available.

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic, fish, Comments Not expected to be toxic to aquatic life.

Toxicological data for substances

Substance	Benzophenone
Acute aquatic, fish	Value: > 10-100 mg/l
	Method of testing: LC50
	Duration: 96h
	Test reference: The product has not been tested. The statement has been
	derived from the properties of the individual components.
Acute aquatic, algae	Value: > 1-10 mg/l
	Method of testing: EC50
	Duration: 72 h
	Test reference: (Growth rate).
	The product has not been tested. The statement has been derived from the
	properties of the individual components.
Acute aquatic, Daphnia	Value: > 10-100 mg/l
	Method of testing: EC50
	Duration: 48 h
	Test reference: The product has not been tested. The statement has been
	derived from the properties of the individual components.

12.2. Persistence and degradability

UVElite Page 6 of 7

Persistence and degradability description

Not determined.

12.3. Bioaccumulative potential

Bioaccumulative potential Not determined.

12.4. Mobility in soil

Mobility Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT assessment results Not classified as PBT / vPvB of current EU criteria.

12.6. Other adverse effects

Other adverse effects / Remarks None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Specify the appropriate methods of disposal	Avoid release to the environment. Collect spillage. Wastes and empty containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act.
Product classified as hazardous waste	No
EWC waste code	EWC: 08 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS, National waste code: 01, National wastegroup: 12

SECTION 14: Transport information

14.1. UN number

Comments	Not dangerous goods.
	Transport in accordance with national law and ADR for road, RID for rail,
	IMDG for sea and ICAO / IATA for air. For complete information on transport,
	see transport document

14.2. UN proper shipping name

ADR	
RID	
IMDG	
ICAO/IATA	

- 14.3. Transport hazard class(es)
- 14.4. Packing group
- 14.5. Environmental hazards

IMDG Marine pollutant No

- 14.6. Special precautions for user
- 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Legislation and regulations	The labeling of the product according to EC directives 67/548/EEC, 1999/45/EC, see section 2.
	Classification and labeling of substances under Directive 67/548/EC, 1999/45/EC, see section 3.

UVElite Page 7 of 7

Classification and labeling of substances according to Regulation (EC)
1272/2008 (CLP) is in section 3.
Safety data sheet is designed according to EU Commission Regulation No.
1907/2006

15.2. Chemical safety assessment

Chemical safety assessment performed

OFOTION 40. OH

3

SECTION 16: Other Information	
List of relevant H-phrases (Section	H373 May cause damage to organs through prolonged or repeated exposure
2 and 3).	H411 Toxic to aquatic life with long lasting effects.

Version Responsible for safety data sheet Arboritec AB Comments

The information of this SDS is based on the present state of our knowledge and on current EU and national laws. The product is not to be used for other purposes than those specified under section 1 without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfill the demand laid down in the local rules and legislation. The information in this SDS is meant as a description of the safety requirements of our product: it is not to be considered as a guarantee of the products' properties.