Classic+ - Version 5 Page 1 of 9



The safety data sheet is in accordance with Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTION 1: Identification of the substance / mixture and of the company / undertaking

Date issued 31.01.2018

1.1. Product identifier

Product name Classic+

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / preparation

Waterborne wood floor finish.

1.3. Details of the supplier of the safety data sheet

Company name Arboritec AB Postal address Olof Wijksväg 9 Postcode SE-444 65 City Jörlanda Country Sverige Telephone number 0303-563 30 Fax 0303-563 32 Email post@arboritec.com Website http://www.arboritec.com Contact person Jörgen Kaldemark

1.4. Emergency telephone number

Emergency telephone Telephone number: 112

Description: In case of medical emergency call

SECTION 2: Hazards identification

2.1. Classification of substance or mixture

Classic+ - Version 5 Page 2 of 9

2.2. Label elements

Composition on the label	Dpropylenglycolmonomethylether 5 – 10 %
Supplemental label information	EUH208: Contains 1,2-benzisothiazol-3(2H)-one [EC no. 220-120-9]. May produce an allergic reaction. Safety data sheet available on request.

2.3. Other hazards

Other hazards When spray applying see section 8.

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Substance	Identification	Classification	Contents
Dpropylenglycolmonomethylether	CAS No.: 34590-94-8		5 – 10 %
	EC No.: 252-104-2		
	REACH Reg. No.:		
	02-2119666108-35-0000		

SECTION 4: First aid measures

4.1. Description of first aid measures

General	Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.
Inhalation	Use with adequate ventilation.
Skin contact	Remove/Take off immediately all contaminated clothing. IF ON SKIN: Wash with plenty of soap and water. Do NOT use solvents or thinners.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell.
Ingestion	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Recommended extinguishing media: alcohol resistant foam, CO2, powders, water	
	spray. Do not use water jet.	

5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards	Fire will produce dense black smoke. Decomposition products can be hazardous. At
	high temperatures create: Carbon monoxide (CO), carbon dioxide (CO2), smoke,
	nitrogen gases (NOx).

Classic+ - Version 5 Page 3 of 9

5.3. Advice for firefighters

Personal protective equipment

Other information

Wear respiratory protection.

Eliminate all ignition sources if safe to do so.

Eliminate all ignition sources if safe to do so. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

See section 7 and 8.

In case of inadequate ventilation wear respiratory protection. Wear fire / flame resistant / retardant clothing. Use personal protective equipment as required. Wear cold insulating gloves / face shield / eye protection. Wear protective gloves / protective clothing / eye protection / face protection. Avoid breathing dust / fume / gas / mist / vapours / spray. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

6.2. Environmental precautions

Environmental precautionary measures

Collect spillage. Avoid release to the environment. If the product contaminates lakes, rivers or sewers, inform appropriate authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Cleaning method

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent; avoid use of solvents.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling

Avoid spilling, skin– and eye contact. Avoid breathing dust / fume / gas / mist / vapours / spray. Avoid breathing dust.

Protective safety measures

Protective safety measures	Smoking, eating and drinking is forbidden in application area. Remove contaminated clothing and protective gear before you get to an area where meals are taken.
Additional information	For personal protection see Section 8. Never use pressure to empty: container is not a pressure vessel.

7.2. Conditions for safe storage, including any incompatibilities

1 7 3		eep only in original container. Store in a well-ventilated place. Keep container tightly osed. Keep cool. Protect from sunlight. Store in a dry place. Ensure that the safety dislation laws are followed.
Conditions to		eep away from heat / sparks / open flames / hot surfaces. — No smoking. Protect

Classic+ - Version 5 Page 4 of 9

from sunlight. Keep away from oxidizing agents, from strongly alkaline and strongly acid materials. Prevent unauthorized access.

Conditions for safe storage

Storage temperature Value: 5 – 25 Celsius

7.3. Specific end use(s)

Recommendations Do not handle until all safety precautions have been read and understood.

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

-			
Substance	Identification	Value	TWA Year
Dpropylenglycolmonomethylether	CAS No.: 34590-94-8	TWA (8h): 50 ppm	
		Source: AFS 2011:18	
		(Sweden 12/2011) . Ab-	
		sorbed through the skin	
		TWA (8h): 300 mg/m3	
		Source: AFS 2011:18	
		(Sweden 12/2011) . Ab-	
		sorbed through the skin	
		OEL short term value	
		Value: 75 ppm	
		Source: AFS 2011:18	
		(Sweden 12/2011) . Ab-	
		sorbed through the skin	
		OEL short term value	
		Value: 450 mg/m3	
		Source: AFS 2011:18	
		(Sweden 12/2011) . Ab-	
		sorbed through the skin	

8.2. Exposure controls

Precautionary measures to prevent exposure

Appropriate engineering controls	Use with adequate ventilation. If possible this should be achieved by local extraction and good exhaust ventilation. If these are not sufficient to maintain concentrations of
	particulates and solvent vapors below the OEL, suitable respiratory equipment.

Eye / face protection

Suitable eye protection	Wear cold insulating gloves / face shield / eye protection.
-------------------------	---

Hand protection

Hand protection	Wear cold insulating gloves / face shield / eye protection.
Skin- / hand protection, long term contact	For prolonged or repeated contact use gloves made of butyl rubber.
Suitable materials	Barrier creams may help to protect the skin, but they should however not be used once exposure has occurred.

Classic+ - Version 5 Page 5 of 9

Skin protection

Skin protection (except hands)

Wear fire / flame resistant / retardant clothing.

Respiratory protection

Respiratory protection Respiratory protection with gas filter (brown A) must be used if air concentration

exceeds acceptable level (OEL).

Mask type When spraying, use half-or full face mask with filter P2 (IIb) to spray.

Exposure controls

Safety measures for consumer use of the chemical Read label before use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Vätska Odour Svag Odour limit Comments: Not applicable. рΗ Status: In delivery state Comments: Not determined. Status: In aqueous solution Comments: Not determined . Melting point / melting range Comments: Not determined. Boiling point / boiling range Comments: Not determined. Flash point Comments: Not applicable. Evaporation rate Comments: Not determined. Flammability (solid, gas) Not determined Explosion limit Comments: Not applicable. Vapour pressure Comments: Not determined. Vapour density Comments: Not determined. Specific gravity Value: 1,05 g/ml Method: CC-Stängd kopp Temperature: 23 °C Solubility in water unlimited. Partition coefficient: n-oc-Comments: Not applicable. tanol/water Viscosity Comments: Not determined. Does not affect the assessment. Explosive properties Not explosive. Oxidising properties Not Oxidising.

Classic+ - Version 5 Page 6 of 9

9.2. Other information

Physical hazards

Content of VOC

Value: 90 g/l

Comments: initial kokpunkt mindre än eller lika med 250 ° C

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity

No reactive.

10.2. Chemical stability

Stability

Stable under recommended storage and handling conditions (see section 7).

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions

No dangerous if handled according to Technical Information.

10.4. Conditions to avoid

Conditions to avoid

No applicable.

10.5. Incompatible materials

Materials to avoid

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reaction.

10.6. Hazardous decomposition products

Hazardous decomposition products

When exposed to high temperature may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Substance

Dpropylenglycolmonomethylether

Acute toxicity

Type of toxicity: Acute Effect tested: LD50 Route of exposure: Oral Value: 5,5 mL/kg

Animal test species: Rat

Type of toxicity: Acute Effect tested: LD50

Route of exposure: Dermal

Value: 10 ml/kg

Animal test species: Rabbit

Other information regarding health hazards

Classic+ - Version 5 Page 7 of 9

Inhalation May cause drowsiness or dizziness. May cause respiratory irritation.

Skin contact No information is available.

Eye contact No information available.

Ingestion may cause nausea and vomiting.

Skin corrosion / irritation,

other information

Eye damage or irritation oth-

er information

General respiratory or skin sensitisation

Germ cell mutagenicity, human experience

Carcinogenicity human ex-

perience
Reproductive toxicity

STOT-single exposure

STOT-repeated exposure
Aspiration hazard, com-

ments

ingestion may cause nausea and

No information available.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

Prolonged or repeated contact may defat the skin, resulting in non-allergic contact eczema and absorption through the skin.

No information available.

No information is available.

no information is available.

No information available.

No information available.

No information available.

When applying see section 8.

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic, fish

Comments: Not expected to be toxic to aquatic life.

12.2. Persistence and degradability

Persistence and degradability description

Not determined.

12.3. Bioaccumulative potential

Bioaccumulative potential

Not determined.

12.4. Mobility in soil

Mobility

Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT assessment results

Not classified as PBT / vPvB of current EU criteria.

12.6. Other adverse effects

Other adverse effects, comments

None known.

SECTION 13: Disposal considerations

Classic+ - Version 5 Page 8 of 9

13.1. Waste treatment methods

Specify the appropriate

Moid release to the environment. Collect spillage. Wastes and empty containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act.

Product classified as hazardous waste

EWC: 08 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND

EWC: 08 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS, National waste code: 01, National wastegroup: 12

SECTION 14: Transport information

14.1. UN number

Comments

Not dangerous goods.

Transport in accordance with national law and ADR for road, RID for rail, IMDG for sea and ICAO / IATA for air. For complete information on transport, see transport document.

14.2. UN proper shipping name

ADR / RID / ADN	
IMDG	
ICAO / IATA	

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

IMDG Marine pollutant No

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

Legislation and regulations	The labeling of the product according to EC directives 67/548/EEC, 1999/45/EC, see section 2.
	Classification and labeling of substances under Directive 67/548/EC, 1999/45/EC, see section 3.
	Classification and labeling of substances according to Regulation (EC) 1272/2008 (CLP) is in section 3.

Classic+ - Version 5 Page 9 of 9

Safety data sheet is designed according to EU Commission Regulation No. 1907/2006.

15.2. Chemical safety assessment

Chemical safety assessment No performed

SECTION 16: Other information

Version

5

Comments

The information of this SDS is based on the present state of our knowledge and on current EU and national laws. The product is not to be used for other purposes than those specified under section 1 without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfill the demand laid down in the local rules and legislation. The information in this SDS is meant as a description of the safety requirements of our product : it is not to be considered as a guarantee of the products' properties.