

The safety data sheet is in accordance with Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTION 1: Identification of the substance / mixture and of the company / undertaking

Date issued

31.01.2018

1.1. Product identifier

Product name

Clean'n Coat

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance /	Detergent.
preparation	-

1.3. Details of the supplier of the safety data sheet

Company name	Arboritec AB
Postal address	Olof Wijksväg 9
Postcode	SE-444 65
City	Jörlanda
Country	Sverige
Telephone number	0303-563 30
Fax	0303-563 32
Email	post@arboritec.com
Website	http://www.arboritec.com
Contact person	Jörgen Kaldemark

1.4. Emergency telephone number

Emergency telephone Telephone number: 112 Description: In case of medical emergency call

SECTION 2: Hazards identification

2.1. Classification of substance or mixture

2.2. Label elements

Composition on the label Diethylene glycol monobutyl ether \leq 1 %, Dpropylenglycolmonomethylether \leq 1 %

2.3. Other hazards

Other hazards

When spray applying see section 8.

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Substance	Identification	Classification	Contents
Diethylene glycol monobutyl ether	CAS No.: 112-34-5 EC No.: 203-961-6 Index No.: 603-096-00-8	Eye Irrit. 2;H319	≤1%
Dpropylenglycolmonomethylether	CAS No.: 34590-94-8 EC No.: 252-104-2 REACH Reg. No.: 02-2119666108-35-0000		≤ 1 %

SECTION 4: First aid measures

4.1. Description of first aid measures

General	Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	Remove/Take off immediately all contaminated clothing. IF ON SKIN: Wash with plenty of soap and water. Do NOT use solvents or thinners.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell.
Ingestion	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Recommended extinguishing media : alcohol resistant foam, CO2, powders, water
	spray. Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards Fire will produce dense black smoke. Decomposition products can be hazardous. At high temperatures create: Carbon monoxide (CO), carbon dioxide (CO2), smoke, nitrogen gases (NOx).

5.3. Advice for firefighters

Personal protective equip- ment	Wear respiratory protection.
Other information	Eliminate all ignition sources if safe to do so. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	Se punkt 7 ch 8.
Personal protection mea- sures	In case of inadequate ventilation wear respiratory protection. Wear fire / flame resistant / retardant clothing. Use personal protective equipment as required. Wear cold insulating gloves / face shield / eye protection. Wear protective gloves / protective clothing / eye protection / face protection. Avoid breathing dust / fume / gas / mist / vapours / spray. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

6.2. Environmental precautions

Environmental precautionary	Collect spillage. Avoid release to the environment. If the product contaminates lakes,
measures	rivers or sewers, inform appropriate authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Cleaning method Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent; avoid use of solvents.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling	Avoid spilling, skin- and eye contact. Avoid breathing dust / fume / gas / mist / vapours
	/ spray. Avoid breathing dust.

Protective safety measures

Protective safety measures	Smoking, eating and drinking is forbidden in application area. Remove contaminated clothing and protective gear before you get to an area where meals are taken.
Additional information	For personal protection see Section 8. Never use pressure to empty : container is not a pressure vessel.

7.2. Conditions for safe storage, including any incompatibilities

Storage	Keep only in original container. Store in a well-ventilated place. Keep container tightly closed. Keep cool. Protect from sunlight. Store in a dry place. Tillse att gällande arbetsmiljölagstiftning följs.
Conditions to avoid	Keep away from heat / sparks / open flames / hot surfaces. — No smoking. Protect

from sunlight. Keep away from oxidizing agents, from strongly alkaline and strongly acid materials. Prevent unauthorized access.

Conditions for safe storage

Storage temperature

Value: 5 – 25 Celsius

7.3. Specific end use(s)

Recommendations

Do not handle until all safety precautions have been read and understood.

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Diethylene glycol monobutyl CAS No.: 112-34-5 TWA (8h) : 10 ppm TWA Year: 2011 ether TWA (8h) : 67,5 mg/m3 OEL short term value Value: 15 ppm OEL short term value	
Value: 101,2 mg/m3	
Dpropylenglycolmonomethylether CAS No.: 34590-94-8 TWA (8h) : 50 ppm Source: AFS 2011:18 (Sweden 12/2011) . Ab- sorbed through the skin TWA (8h) : 300 mg/m3 Source: AFS 2011:18 (Sweden 12/2011) . Ab- sorbed through the skin OEL short term value Value: 75 ppm Source: AFS 2011:18 (Sweden 12/2011) . Ab- sorbed through the skin OEL short term value Value: 75 ppm Source: AFS 2011:18 (Sweden 12/2011) . Ab- sorbed through the skin OEL short term value Value: 450 mg/m3 Source: AFS 2011:18 (Sweden 12/2011) . Ab- sorbed through the skin	

8.2. Exposure controls

Precautionary measures to prevent exposure

Appropriate engineering controls Use with adequate ventilation. If possible this should be achieved by local extraction and good exhaust ventilation. If these are not sufficient to maintain concentrations of particulates and solvent vapors below the OEL, suitable respiratory equipment.

Eye / face protection

Suitable eye protection Wear cold insulating gloves / face shield / eye protection	otection.
--	-----------

Hand protection

Hand protection	Wear cold insulating gloves / face shield / eye protection.
Skin- / hand protection, long term contact	For prolonged or repeated contact use gloves made of butyl rubber.
Suitable materials	Barrier creams may help to protect the skin, but they should however not be used once exposure has occurred.

Skin protection

Skin protection (except	Wear fire / flame resistant / retardant clothing.
hands)	

Respiratory protection

Respiratory protection	Respiratory protection with gas filter (brown A) must be used if air concentration exceeds acceptable level (OEL).
Mask type	When spraying, use half-or full face mask with filter P2 (IIb) to spray.

Exposure controls

Safety measures for con-	Read label before use.
sumer use of the chemical	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Odour	Faint.
Odour limit	Comments: Not applicable.
рН	Status: In delivery state Comments: Not determined.
	Status: In aqueous solution Comments: Not determined .
Melting point / melting range	Comments: Not determined.
Boiling point / boiling range	Comments: Not determined.
Flash point	Comments: Not applicable.
Evaporation rate	Comments: Not determined.
Flammability (solid, gas)	Not determined
Explosion limit	Comments: Not explosive.
Vapour pressure	Comments: Not determined.
Vapour density	Comments: Not determined.
Specific gravity	Value: 1,0 g/ml Temperature: 23 °C
Solubility in water	unlimited.
Partition coefficient: n-oc- tanol/water	Comments: Not applicable.

Decomposition temperature	Comments: Not determined
Viscosity	Comments: Not determined. Does not affect the assessment.
Explosive properties	Not explosive.
Oxidising properties	Not Oxidising.

9.2. Other information

Physical hazards

Content of VOC	Value: 20 g/l
	Comments: Initial boiling point less than or equal to 250°C

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity

No reactive.

10.2. Chemical stability

Stability	Stable under recommended storage and handling conditions (see section 7).

10.3. Possibility of hazardous reactions

Possibility of hazardous re-	No dangerous if handled according to Technical Information.
actions	

10.4. Conditions to avoid

Conditions to avoid No applicable.

10.5. Incompatible materials

Materials to avoid Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reaction.

10.6. Hazardous decomposition products

Hazardous decomposition	When exposed to high temperature may produce hazardous decomposition products
products	such as carbon monoxide and dioxide, smoke, oxides of nitrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Substance	Diethylene glycol monobutyl ether
Acute toxicity	Type of toxicity: Acute
	Effect tested: LD50
	Route of exposure: Oral
	Value: 5660 mg/kg
	Animal test species: Råtta

	Type of toxicity: Acute Effect tested: LD50 Route of exposure: Dermal Value: 2700 mg/kg Animal test species: Kanin
Substance	Dpropylenglycolmonomethylether
Acute toxicity	Type of toxicity: Acute Effect tested: LD50 Route of exposure: Oral Value: 5,5 mL/kg Animal test species: Rat
	Type of toxicity: Acute Effect tested: LD50 Route of exposure: Dermal Value: 10 ml/kg Animal test species: Rabbit

Other information regarding health hazards

Inhalation	May cause drowsiness or dizziness. May cause respiratory irritation.
Skin contact	No information is available.
Eye contact	No information available.
Ingestion	Ingestion may cause nausea and vomiting.
Skin corrosion / irritation, other information	No information available.
Eye damage or irritation oth- er information	If splashed in the eyes, the liquid may cause irritation and reversible damage.
General respiratory or skin sensitisation	Prolonged or repeated contact may defat the skin, resulting in non-allergic contact eczema and absorption through the skin.
Germ cell mutagenicity, hu- man experience	No information available.
Carcinogenicity human ex- perience	No information is available.
Reproductive toxicity	No information available.
STOT-single exposure	No information available.
STOT-repeated exposure	No information available.
Aspiration hazard, com- ments	When applying see section 8.

SECTION 12: Ecological information

12.1. Toxicity

Substance	Diethylene glycol monobutyl ether
Acute aquatic, fish	Value: 2000 mg/L Test duration: 96h

	Species: Inland silverside
	Method: LC50
	Test reference: Saltvatten

12.2. Persistence and degradability

Persistence and degradability description Diethylene glycol monobutyl ether Highly biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential	Not Bioaccumulative.
Bioconcentration factor (BCF)	Value: 2,9 Comments: Log Pow: 0.6

12.4. Mobility in soil

Mobility	Not determined.
----------	-----------------

12.5. Results of PBT and vPvB assessment

PBT assessment results Not classified as PBT / vPvB of current EU criteria.

12.6. Other adverse effects

Other adverse effects, comments

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Specify the appropriate methods of disposal	Avoid release to the environment. Collect spillage. Wastes and empty containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act.
Product classified as haz- ardous waste	No
EWC waste code	EWC: 08 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS, National waste code: 01, National wastegroup: 12

SECTION 14: Transport information

14.1. UN number

Comments	Not dangerous goods. Transport in accordance with national law and ADR for road, RID for rail, IMDG for sea and ICAO / IATA for air. For complete information on transport, see transport document.
----------	--

14.2. UN proper shipping name

ADR / RID / ADN	
IMDG	
ICAO / IATA	

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

IMDG Marine pollutant No

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

Legislation and regulations	The labeling of the product according to EC directives 67/548/EEC, 1999/45/EC, see section 2.
	Classification and labeling of substances under Directive 67/548/EC, 1999/45/EC, see section 3.
	Classification and labeling of substances according to Regulation (EC) 1272/2008 (CLP) is in section 3. Safety data sheet is designed according to EU Commission Regulation No. 1907/2006.

15.2. Chemical safety assessment

Chemical safety assessment No performed

SECTION 16: Other information	
List of relevant H-phrases (Section 2 and 3)	H319 Causes serious eye irritation.
Version	2
Comments	The information of this SDS is based on the present state of our knowledge and on current EU and national laws. The product is not to be used for other purposes than those specified under section 1 without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfill the demand laid down in the local rules and legislation. The information in this SDS is meant as a description of the safety requirements of our product : it is not to be considered as a guarantee of the products' properties.